# MJ Series

pdqlocks.com

# MJ Series Mortise Deadbolts

**SHOWN WITH STANDARD THUMBTURN**

## Specifications

| | |
|---|---|
| **FOR DOORS:** | • 1-3/4" |
| **BACKSET:** | • 2-3/4" |
| **CASE:** | • Steel — Dichromated for corrosion resistance |
| **FACEPLATE:** | • 1-1/4" x 5-5/8" |
| **STRIKE:** | • 2-1/4" x 1" • Stainless Steel. |
| **DEADBOLT:** | • 1" Throw. • Stainless Steel. |
| **THUMBTURN:** | • Standard ADA Compliant *134LH & 134RH thumbturn varies from standard thumbturn - it is not ADA Compliant* |
| **INDICATOR:** | • Vacant/Occupied available. |
| **HAND:** | • Non-handed except for function MJ134 Classroom. (See Function Table and How to Order Guide). |
| **KEYS:** | • Two (2) per Lock. |
| **KEYWAYS:** | • SCC standard (Schlage C Compatible) • Also available in keyways of other manufacturers |
| **INTERCHANGEABLE CORE:** | • 6 or 7-pin • Compatible with Best, Falcon & Arrow • Large Format IC Cores compatible with Schlage. |
| **CYLINDER:** | • 6 or 7-pin Mortise Cylinder |
| **KEYING:** | • Options: MK, CMK or GMK • Zero Bitted (KO), Keyed Different (KD) or Keyed Alike (KA)<br>• Can be keyed into existing master key systems |
| **FINISHES:** | • 605 (US3), 606 (US4), 612 (US10), 613E, 622 (US19), 629 (US32), 630 (US32D) |

## Cross Reference

| PDQ FUNCTION | BEST | CORBIN | DORMA | MARKS #31/32/33 SERIES | SARGENT | SCHLAGE | ACCENTRA |
|---|---|---|---|---|---|---|---|
| MJ131 | 48H L | DL4111 | D961 | L | 4876 | L464 | 353 |
| MJ132 | 48H K | DL4113 | D960 | K | 4875 | L460 | 352 |
| MJ133 | 48H M | DL4112 | D962 | M | 4874 | L462 | 351 |
| MJ134LH | 48H R | DL4117 | D963 | S | 4877 | L463 | 357 |
| MJ134LH | | | | | | | |

## Functions

| FUNCTION | FUNCTION NUMBER | OUTSIDE \| INSIDE | DESCRIPTION | ANSI NUMBER |
|---|---|---|---|---|
| Single Cylinder Deadbolt | MJ131 | | • Key outside extends/retracts deadbolt | F18 |
| Cylinder and Thumbturn Deadbolt | MJ132 |  | • Key outside extends/retracts deadbolt<br>• Thumbturn inside extends/retracts deadbolt | F17 |
| Double Cylinder Deadbolt | MJ133 | | • Key outside extends/retracts deadbolt<br>• Key inside extends/retracts deadbolt | F16 |
| Classroom Deadbolt | MJ134 |  | • Key outside extends/retracts deadbolt<br>• Inside cylinder turn retracts but does not extend deadbolt<br>• Not field reversible<br>• Specify handing | F29 |

## How to Order

| SERIES | FUNCTION | FINISH | CYLINDER | KEYWAY OR HOUSING | KEYING | OPTIONS |
|---|---|---|---|---|---|---|
| **MJ** | **131** | **630** | **D** | **SCC** | **KD** | **–** |
| Ordering Example: MJ 131 630 SCC KD | | **605**<br>**606**<br>**612**<br>**613E**<br>**622**<br>**629**<br>**630** | **D** Default<br>**L** Less Cylinder<br>**SF6** Lock is SFIC prepped w/ 6 pin core<br>**SF7** Lock is SFIC prepped w/ 7 pin core<br>**SFL** Lock is SFIC prepped but less core<br>**SFC** Lock is SFIC prepped w/ construction core<br>**SFP** Lock is SFIC prepped w/ plastic construction core<br>**LF6** Lock is Schlage LFIC prepped w/ Schlage core<br>**LFL** Lock is Schlage LFIC prepped but less core<br>**LFC** Lock is Schlage LFIC prepped w/ construction core | | **AM** — Antimicrobial Coating |

## Cylinder Reference Guide

CONVENTIONAL MORTISE CYLINDER




LENGTH INCLUDES CAM

MORTISE SFIC HOUSING

SFIC CORE

LFIC CORE

| TYPE | LENGTH | PDQ CAM NUMBER |
|---|---|---|
| Conventional | 1-1/4” | I127-4204 |
| SFIC Housing, 6 Pin | 1-1/4” | I54031 |
| SFIC Housing, 7 Pin | 1-3/8” | I54031 |
| LFIC Housing | 1-1/2” | I54231 |

## Keyways

| CONVENTIONAL CYLINDER | | SMALL FORMAT INTERCHANGEABLE CORE | | LARGE FORMAT INTERCHANGEABLE CORE | |
|---|---|---|---|---|---|
| KEYWAY | PDQ KEYWAY DESIGNATOR | KEYWAY (BEST COMPATIBLE) | PDQ KEYWAY DESIGNATOR | KEYWAY (SCHLAGE COMPATIBLE) | PDQ KEYWAY DESIGNATOR |
| **Schlage C (Default)** | **SCC** | BEST A (Default), B, C, D, E, F, G, H, J, K, L, M, Q, R, WA, WB, WG, WH, TB, TD, TE, R | A (Default), B, C, D, E, F, G, H, J, K, L, M, Q, R, WA, WB, WG, WH, TB, TD, TE, R | **Schlage C (Default)** | **SCC** |
| | | | | **PDQ Restricted** | **TA** |
| **PDQ Restricted** | **TA** | | | | |
| Arrow AR1 | AR1 | | | | |
| Corbin 59A1 | CO59A1 | | | | |
| Corbin 60 | CO6 | | | | |
| Corbin L4 | CL4 | | | | |
| Russwin D1 | RUD | PDQ Exclusive | PDQ1 | | |
| Russwin 981 | RUD981 | | PDQ2 | | |
| Schlage E | SCE | PDQ Exclusive and Restricted | PDQ3 | | |
| Schlage C | SCC | | | | |
| Schlage C-K | SCC-K | | | | |
| Sargent LA | SAL | | | | |
| Sargent RA-RC | RA-RC | | | | |
| Accentra (Yale) E1R | YA8 | | | | |
| Accentra (Yale) GA | GA | | | | |
| Falcon E-R | FAL | | | | |
| Kwikset | KW | | | | |

| DESCRIPTION | PDQ KEYING DESIGNATOR |
|---|---|
| Keyed Different (Default) | **KD** |
| Keyed Alike | **KA** |
| "O" Zero Bitted | **KO** |
| Master Keyed | **MK** |
| Construction Master Keyed | **CMK** |
| Grand Master Keyed | **GMK** |

## Finishes

630 (US32D)
Satin Stainless Steel,
No Coating

## Mortise Deadbolt



SECURING
CONFIDENCE
**OPENING**
**POSSIBILITIES**

**Phone:** 717.656.4281
**Tech Support:** 800.441.9692
**Email:** help@pdqlocks.com

**Headquarters:** 2230 Embassy Drive, Lancaster, PA 17603 P.O Box 6426, Lancaster, PA 17607

**Regional Distribution Centers:** Lancaster, PA | Norcross, GA | Auburn, WA

**Middle East Manufacturing:** Dammam, Kingdom of Saudi Arabia